REVISIONS		
NO.	DATE	DESCRIPTION



PLAN



SECTION A-A



TYPICAL DETAIL OF REINFORCEMENT
(FOR ALL WALLS, SLAB & ROOF)
ALL REINF. #5 @ 12" (UNLESS OTHERWISE NOTED.)



TYPICAL PLAN THRU DOOR OPENINGS



ELEVATION E-E



SECTION B-B



SECTION C-C

CONCRETE NOTES:

1. ALL CONCRETE USED IN BANK VAULT TO BE STONE CONCRETE AND HAVE A MINIMUM COMPRESSIVE STRENGTH OF 3500 #/SQ. IN.
2. ALL REINFORCEMENT SHALL BE DEFORMED BARS OF A.S.T.M. A-615-60 LATEST EDITION.
3. LAP ALL BARS 40 DIAM. AT SPLICES. ALL BARS SHALL BE WIRED TOGETHER AT INTERSECTIONS AND SPLICES.
4. THE MAXIMUM SIZE OF COARSE AGGREGATE SHALL BE ¾".
5. FOR EXACT CONFIGURATION OF DOOR OPENINGS, VENTILATION, ETC., SEE MANUFACTURER'S DWGS.
6. PROVIDE CORNER BARS AT ALL INTERSECTIONS.

"THIS PLAN HAS BEEN DESIGNED TO CARRY THE EQUIPMENT IN ITS FINAL LOCATION. BEFORE ANY INSTALLATION OF EQUIPMENT IS STARTED, COMPLETELY DETAILED PROPOSED METHODS OF INSTALLATION SHALL BE SUBMITTED BY THE SUBCONTRACTOR TO THE ARCHITECT AND STRUCTURAL ENGINEER FOR APPROVAL."

ISSUED TO	NO.	DATE	PKG. NO.

BANKERS TRUST PLAZA

A FISHER BROTHERS PROJECT

GREENWICH AND LIBERTY ST. N. Y. N. Y.

SHREVE, LAMB & HARMON ASSOCIATES P.C.
ARCHITECTS
475 PARK AVENUE SOUTH N. Y. N. Y. 10016

PETERSON AND BRICKBAUER
ASSOCIATED ARCHITECTS
919 THIRD AVENUE N. Y. N. Y. 10022

THE OFFICE OF JAMES RUDERMAN
STRUCTURAL ENGINEERS
515 MADISON AVENUE N. Y. N. Y. 10022

JAROS, BAUM & BOLLES
MECH. & ELEC. ENGINEERS
345 PARK AVENUE N. Y. N. Y. 10022

COIN VAULT

PROJECT NUMBER 7101

DRAWING NUMBER S-8

DATE

SCALE