

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126

1142-093



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

MC

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/20/04	# OF SAMPLES 13	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER JG-3210
PURCHASE ORDER NO.		CONTACT Tom Tunic	TELEPHONE NUMBER (473) 765-1843
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report Results to Tom Tunic, Flushing Park, NJ	<input type="checkbox"/> FAX RESULTS FAX NUMBER: () <input type="checkbox"/> EMAIL RESULTS - EMAIL:

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
✓ 1	C2275212A	5/20/04	100 Sq. cm.	NIOSH 7500 Modified (Silica %, type, weight) FAXED MAY 27 2004
✓ 2	C2275217A	5/20/04		
3	C2255222A	5/20/04		
✓ 4	C2255227A	5/20/04		
✓ 5	C2255232A	5/20/04		
✓ 6	C2255237A	5/20/04		
✓ 7	C2185242A	5/20/04		
✓ 8	C2185247A	5/20/04		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex

CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE

C. J. Curran
 5/20/04

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
5-21-04 9:40	Intact	SIGNATURE(SAMPLE RECEIVING) Angela Sacre	SIGNATURE(SAMPLE RECEIVING)
	13-Wire	SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
	S102 Wire	SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED <i>5/20/04</i>	# OF SAMPLES <i>13</i>	SAMPLE TYPE/MEDIA <i>PVC/Silica</i>	PROJECT NAME OR NUMBER <i>JG-3210</i>	
PURCHASE ORDER NO.		CONTACT <i>Tom Tonia</i>	TELEPHONE NUMBER <i>(973) 765-1843</i>	
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: <i>Report Results to Tom Tonia, Flushing Park, NJ</i>	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
<i>✓ 9</i>	<i>C2185252A</i>	<i>5/20/04</i>	<i>100 sq. cm.</i>	<i>NIOSH 7500 Modified (Silica % , type , weight)</i>
<i>✓ 10</i>	<i>C2185257A</i>	<i>5/20/04</i>		
<i>✓ 11</i>	<i>C2185262A</i>	<i>5/20/04</i>		
<i>✓ 12</i>	<i>C2185267A</i>	<i>5/20/04</i>		
<i>✓ 13</i>	<i>FB84</i>	<i>5/20/04</i>		
CHAIN OF CUSTODY RECORD				
SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA: <i>Fed-Ex</i>			SIGN HERE TO INITIATE CHAIN OF CUSTODY <i>[Signature]</i> DATE: <i>5/20/04</i>	
CARRIER		IF "ANALYTICS COURIER" SIGN HERE		
DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:		SAMPLES RELEASED BY:
		SIGNATURE(SAMPLE RECEIVING)		SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)		SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)		SIGNATURE(LAB)
		SIGNATURE(LAB)		SIGNATURE(LAB)



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I142-093
Account No. PSC00126
Report Date: 05/27/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/21/04
Sample Type: 13 - Wipe Sample(s)
Project: JG-3210

PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2275212A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	0.010 mg	.005 mg	0.010 mg/fltr	05/26/04
-002	C2275217A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.076 mg	.076 mg	< 0.076 mg/fltr	05/26/04
-	Quartz	100 cm2	0.16 mg	.076 mg	0.16 mg/fltr	05/26/04
-003	C2275222A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.94 mg	.94 mg	< 0.94 mg/fltr	05/26/04
-	Quartz	100 cm2	7.6 mg	.94 mg	7.6 mg/fltr	05/26/04
-004	C2275227A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.025 mg	.025 mg	< 0.025 mg/fltr	05/26/04
-	Quartz	100 cm2	0.20 mg	.025 mg	0.20 mg/fltr	05/26/04
-005	C2275232A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.031 mg	.031 mg	< 0.031 mg/fltr	05/26/04
-	Quartz	100 cm2	0.11 mg	.031 mg	0.11 mg/fltr	05/26/04
-006	C2275237A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	0.24 mg	.005 mg	0.24 mg/fltr	05/26/04
-007	C2275242A	Samp	Date: 05/20/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.031 mg	.031 mg	< 0.031 mg/fltr	05/26/04
-	Quartz	100 cm2	0.17 mg	.031 mg	0.17 mg/fltr	05/26/04
-008	C2275247A	Samp	Date: 05/20/04	Wipe Sample		



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I142-093
 Account No. PSC00126
 Report Date: 05/27/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/21/04
 Sample Type: 13 - Wipe Sample(s)
 Project: JG-3210

PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.007 mg	.007 mg	< 0.007 mg/fltr	05/26/04
-	Quartz	100 cm2	0.23 mg	.007 mg	0.23 mg/fltr	05/26/04
-009	C2275252A Samp	Date: 05/20/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	0.057 mg	.005 mg	0.057 mg/fltr	05/26/04
-010	C2275257A Samp	Date: 05/20/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	0.049 mg	.005 mg	0.049 mg/fltr	05/26/04
-011	C2275262A Samp	Date: 05/20/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.2 mg	1.2 mg	< 1.2 mg/fltr	05/26/04
-	Quartz	100 cm2	12 mg	1.2 mg	12 mg/fltr	05/26/04
-012	C2275267A Samp	Date: 05/20/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.083 mg	.083 mg	< 0.083 mg/fltr	05/26/04
-	Quartz	100 cm2	0.91 mg	.083 mg	0.91 mg/fltr	05/26/04
-013	FB04 Samp	Date: 05/20/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I142-093
Account No. PSC00126
Report Date: 05/27/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 3

LABORATORY TEST REQUEST



ACCOUNT NUMBER, NAME AND ADDRESS
 Do you want to print a test (Y/N)? N
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126

8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

472-183
 1140-027
 JH

Attn: Fred Usbeck

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/17/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC-Silica	PROJECT NAME OR NUMBER JG-3210	
PURCHASE ORDER NO.	CONTACT Tom Tomico	TELEPHONE NUMBER 1(973) 765-1800		
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY	SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report to Tom Tomico, TAT on Florham Park, NJ discussed	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS EMAIL:		
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
1	C141505A	5/17/04	100 Sg. cm	NIOSH 7500 modified (silica %, type, weight)
2	C141510A	5/17/04		
3	C141515A	5/17/04		
4	C141520A	5/17/04		
5	C241525A	5/17/04		
6	C241530A	5/17/04		
7	C241535A	5/17/04		
8	C241540A	5/17/04		

FAXED
MAY 25 2004

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA: **Fed-EX**

IF "ANALYTICS COURIER" SIGN HERE: **C. J. Lippner**
 SIGN HERE TO INITIATE CHAIN OF CUSTODY
 DATE: **5/17/04**

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
5/19/04 11:00	intact	SIGNATURE(SAMPLE RECEIVING) Michele Childress	SIGNATURE(SAMPLE RECEIVING)
	15 - THE Wipe	SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
	S102 Wipe	SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (800) 659-9038 FORM # 0010

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/17/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC-Silica	PROJECT NAME OR NUMBER JG-3210	
PURCHASE ORDER NO.		CONTACT Tom Tanna	TELEPHONE NUMBER (1-979) 765-1800	
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report to Tom Tanna, TAT as Floodham Park, NJ documented	<input type="checkbox"/> FAX RESULTS FAX NUMBER: () _____ <input type="checkbox"/> EMAIL RESULTS - EMAIL: _____	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
9	C241545A	5/17/04	100 sq cm	NIOSH 7500 Modified (Silica Type, weight)
10	C241550A	5/17/04		
11	C241555A	5/17/04		
12	C241560A	5/17/04		
13	C241565A	5/17/04		
14	C241570A	5/17/04		
15	FB01	5/17/04	NA	

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA

Fed-Ex

CARRIER

IF "ANALYTICS COURIER" SIGN HERE

[Signature]
 SIGN HERE TO INITIATE CHAIN OF CUSTODY

5/17/04
 DATE

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
		SIGNATURE(SAMPLE RECEIVING)	SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I140-027
 Account No. PSC00126
 Report Date: 05/25/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/19/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C141505A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 3.4 mg	3.4 mg	< 3.4 mg/fltr	05/24/04
-	Quartz	100 cm2	46.6 mg	3.4 mg	46.6 mg/fltr	05/24/04
-002	C141510A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.45 mg	.45 mg	< 0.45 mg/fltr	05/24/04
-	Quartz	100 cm2	19.6 mg	.45 mg	19.6 mg/fltr	05/24/04
-003	C141515A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.13 mg	.13 mg	< 0.13 mg/fltr	05/24/04
-	Quartz	100 cm2	0.81 mg	.13 mg	0.81 mg/fltr	05/24/04
-004	C141520A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.27 mg	.27 mg	< 0.27 mg/fltr	05/24/04
-	Quartz	100 cm2	0.82 mg	.27 mg	0.82 mg/fltr	05/24/04
-005	C241525A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.22 mg	.22 mg	< 0.22 mg/fltr	05/24/04
-	Quartz	100 cm2	2.9 mg	.22 mg	2.9 mg/fltr	05/24/04
-006	C241530A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.090 mg	.09 mg	< 0.09 mg/fltr	05/24/04
-	Quartz	100 cm2	0.81 mg	.09 mg	0.81 mg/fltr	05/24/04
-007	C241535A Samp	Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.25 mg	.25 mg	< 0.25 mg/fltr	05/24/04
-	Quartz	100 cm2	1.3 mg	.25 mg	1.3 mg/fltr	05/24/04
-008	C241540A Samp	Date: 05/17/04	Wipe Sample			



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I140-027
 Account No. PSC00126
 Report Date: 05/25/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/19/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.18 mg	.18 mg	< 0.18 mg/fltr	05/24/04
-	Quartz	100 cm2	5.5 mg	.18 mg	5.5 mg/fltr	05/24/04
-009	C241545A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.04 mg	.04 mg	< 0.04 mg/fltr	05/24/04
-	Quartz	100 cm2	0.71 mg	.04 mg	0.71 mg/fltr	05/24/04
-010	C241550A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.40 mg	.4 mg	< 0.4 mg/fltr	05/24/04
-	Quartz	100 cm2	2.4 mg	.4 mg	2.4 mg/fltr	05/24/04
-011	C241555A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 3.9 mg	3.9 mg	< 3.9 mg/fltr	05/24/04
-	Quartz	100 cm2	69 mg	3.9 mg	69 mg/fltr	05/24/04
-012	C241560A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.3 mg	1.3 mg	< 1.3 mg/fltr	05/24/04
-	Quartz	100 cm2	45 mg	1.3 mg	45 mg/fltr	05/24/04
-013	C241565A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 2.2 mg	2.2 mg	< 2.2 mg/fltr	05/24/04
-	Quartz	100 cm2	81 mg	2.2 mg	81 mg/fltr	05/24/04
-014	C241570A	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 2.7 mg	2.7 mg	< 2.7 mg/fltr	05/24/04
-	Quartz	100 cm2	57 mg	2.7 mg	57 mg/fltr	05/24/04
-015	FB-01	Samp Date: 05/17/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/24/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/24/04



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I140-027
Account No. PSC00126
Report Date: 05/25/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Date Received: 05/19/04
Sample Type: 15 - Wipe Sample(s)
Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

mg/fltr = mg/100cm².

Abbreviations: ug = micrograms, mg = milligrams, mg/M³ = milligrams per cubic meter of air, g = grams, ug/M³ = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23226
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I140-027
Account No. PSC00126
Report Date: 05/25/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report
Page 4

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 2380 FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228 1140-028
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

Attn: F. Unbrake

460
 422184

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/18/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC-Silica	PROJECT NAME OR NUMBER JG-3210
-------------------------	--------------	---------------------------------	-----------------------------------

PURCHASE ORDER NO.	CONTACT Tom Taniro	TELEPHONE NUMBER 1 (973) 765-1800
--------------------	-----------------------	--------------------------------------

TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY	<input type="checkbox"/> 2 DAY <input type="checkbox"/> STANDARD <input type="checkbox"/> EXTRA CHARGE	SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report to Tom Taniro, TAT as discussed Florham Park, NJ	<input type="checkbox"/> FAX RESULTS - FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:
--	--	---	---

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
1	C241575A	5/18/04	100.5g. can	NIOSH 7500 modify field (Silica %, type, weight)
2	C241580A	5/18/04		
3	C241585A	5/18/04		
4	C241590A	5/18/04		
5	C241595A	5/18/04		
6	C2415100A	5/18/04		
7	C2415105A	5/18/04		
8	C2415110A	5/18/04		

FAXED
 MAY 25 2004

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

CARRIER Fed-ex

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE 5/18/04

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
5/19/04 11:28	intact	SIGNATURE(SAMPLE RECEIVING) Michele Childress	SIGNATURE(SAMPLE RECEIVING)
	17- Wipe	SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
	SiO2 Wipe	SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126

ATTN: F. Ushack



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED <i>5/18/04</i>	# OF SAMPLES	SAMPLE TYPE/MEDIA <i>PVC - Silica</i>	PROJECT NAME OR NUMBER <i>TF-3210</i>	
PURCHASE ORDER NO.		CONTACT <i>Tom Tunicco</i>	TELEPHONE NUMBER <i>(973) 765-1800</i>	
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input checked="" type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: <i>Report to Tom Tunicco; TAT as Flahman Park, NJ discussed</i>	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED- PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
<i>9</i>	<i>C2485115A</i>	<i>5/18/04</i>	<i>100 sf. cm</i>	<i>NIOSH 7500 modified (Silica % by weight)</i>
<i>10</i>	<i>C2485115A</i>	<i>5/18/04</i>	<i>SAMPLE</i>	<i>ID duplicated</i>
<i>10</i>	<i>C2485102A</i>	<i>5/18/04</i>		
<i>11</i>	<i>C2485107A</i>	<i>5/18/04</i>		
<i>12</i>	<i>C2485132A</i>	<i>5/18/04</i>		
<i>13</i>	<i>C2485137A</i>	<i>5/18/04</i>		
<i>14</i>	<i>C2485142A</i>	<i>5/18/04</i>		
<i>15</i>	<i>On P81</i>	<i>5/18/04</i>		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-ex

IF "ANALYTICS COURIER" SIGN HERE

C. J. [Signature]
 SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE *5/18/04*

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:		SAMPLES RELEASED BY:	
<i>5/19/04 11:35</i>	<i>intact</i>	SIGNATURE(SAMPLE RECEIVING) <i>[Signature]</i>		SIGNATURE(SAMPLE RECEIVING)	
		SIGNATURE(SAMPLE ADMINISTRATION) <i>[Signature]</i>		SIGNATURE(SAMPLE ADMINISTRATION)	
	<i>17- PVC</i>	SIGNATURE(LAB)		SIGNATURE(LAB)	
	<i>SiO2 AIR</i>	SIGNATURE(LAB)		SIGNATURE(LAB)	

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (800) 888-8061

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

Attn: F. Ashbeck

FAX RESULTS TO 1-212-363-4341

MC

DATE SHIPPED 5/18/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC-Silica	PROJECT NAME OR NUMBER JF-3210
PURCHASE ORDER NO.		CONTACT Tom Tunicco	TELEPHONE NUMBER (973) 765-1800
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report to Tom Tunicco, TAT as Florham Park, NJ discarded	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS EMAIL:
<input type="checkbox"/> 2 DAY <input type="checkbox"/> STANDARD <input type="checkbox"/> EXTRA CHARGE			

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
16	FB-01	5/18/04	1005g cm	NI 15H 7500 modified (Silica % type, weight)
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/
/	/	/	/	/

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA: **Fed-Ex**

CARRIER: **Fed-Ex** IF *ANALYTICS COURIER* SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY: **[Signature]**

DATE: **5/18/04**

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING)	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
	17- PVC	SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
	SIO2 AIR	SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS.



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I140-028
 Account No. PSC00126
 Report Date: 05/25/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/19/04
 Sample Type: 16 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C241575A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.12 mg	.12 mg	< 0.12 mg/fltr	05/24/04
-	Quartz	100 cm2	0.73 mg	.12 mg	0.73 mg/fltr	05/24/04
-002	C241580A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/24/04
-	Quartz	100 cm2	0.073 mg	.005 mg	0.073 mg/fltr	05/24/04
-003	C241585A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.041 mg	.041 mg	< 0.041 mg/fltr	05/24/04
-	Quartz	100 cm2	0.23 mg	.041 mg	0.23 mg/fltr	05/24/04
-004	C241590A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.11 mg	.11 mg	< 0.11 mg/fltr	05/24/04
-	Quartz	100 cm2	0.53 mg	.11 mg	0.53 mg/fltr	05/24/04
-005	C241595A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.15 mg	.15 mg	< 0.15 mg/fltr	05/24/04
-	Quartz	100 cm2	4.7 mg	.15 mg	4.7 mg/fltr	05/24/04
-006	C2415100A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.31 mg	.31 mg	< 0.31 mg/fltr	05/25/04
-	Quartz	100 cm2	3.7 mg	.31 mg	3.7 mg/fltr	05/25/04
-007	C2415105A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.15 mg	.15 mg	< 0.15 mg/fltr	05/25/04
-	Quartz	100 cm2	1.0 mg	.15 mg	1 mg/fltr	05/25/04
-008	C2415110A Samp	Date: 05/18/04	Wipe Sample			



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-868-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I140-028
 Account No. PSC00126
 Report Date: 05/25/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/19/04
 Sample Type: 16 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.06 mg	.06 mg	< 0.06 mg/fltr	05/25/04
-	Quartz	100 cm2	1.4 mg	.06 mg	1.4 mg/fltr	05/25/04
-009	C2415115A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.55 mg	.55 mg	< 0.55 mg/fltr	05/25/04
-	Quartz	100 cm2	5.8 mg	.55 mg	5.8 mg/fltr	05/25/04
-010	C2415122A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 3.8 mg	3.8 mg	< 3.8 mg/fltr	05/25/04
-	Quartz	100 cm2	35 mg	3.8 mg	35 mg/fltr	05/25/04
-011	C2415127A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.23 mg	.23 mg	< 0.23 mg/fltr	05/25/04
-	Quartz	100 cm2	3.0 mg	.23 mg	3 mg/fltr	05/25/04
-012	C2415132A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.54 mg	.54 mg	< 0.54 mg/fltr	05/25/04
-	Quartz	100 cm2	6.3 mg	.54 mg	6.3 mg/fltr	05/25/04
-013	C2415137A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	0.30 mg	.005 mg	0.3 mg/fltr	05/25/04
-014	C2415142A Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.25 mg	.25 mg	< 0.25 mg/fltr	05/25/04
-	Quartz	100 cm2	1.6 mg	.25 mg	1.6 mg/fltr	05/25/04
-015	DU PO1 Samp	Date: 05/18/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.55 mg	.55 mg	< 0.55 mg/fltr	05/25/04
-	Quartz	100 cm2	15 mg	.55 mg	15 mg/fltr	05/25/04



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I140-028
 Account No. PSC00126
 Report Date: 05/25/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/19/04
 Sample Type: 16 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-016	FB-01	Samp Date: 05/18/04		Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04

mg/wp = mg/100cm2.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis; all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I140-028
Account No. PSC00126
Report Date: 05/25/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.


We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report
Page 4

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



Fred Usbeck

804. Suite 250
 228
 1-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED <i>5/21/04</i>	# OF SAMPLES <i>15</i>	SAMPLE TYPE/MEDIA <i>PVC/Silica</i>	PROJECT NAME OR NUMBER <i>JG-3210</i>	
PURCHASE ORDER NO.		CONTACT <i>Tom Tanno</i>	TELEPHONE NUMBER <i>(973) 765-1843</i>	
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input checked="" type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: <i>Report Results to Tom Tanno, Florkham Park NY</i>	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS EMAIL:	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
<input checked="" type="checkbox"/>	<i>C2425272A</i>	<i>5/21/04</i>	<i>100 sq. cm</i>	<i>NIOSH 7500 modified (Silica type, % weight)</i>
<input checked="" type="checkbox"/>	<i>2</i>	<i>C2425277A</i>	<i>5/21/04</i>	
<input checked="" type="checkbox"/>	<i>3</i>	<i>C2425282A</i>	<i>5/21/04</i>	
<input checked="" type="checkbox"/>	<i>11</i>	<i>C2425287A</i>	<i>5/21/04</i>	<i>15 wipe</i>
<input checked="" type="checkbox"/>	<i>5</i>	<i>C2185292A</i>	<i>5/21/04</i>	<i>5502 WIPE</i>
<input checked="" type="checkbox"/>	<i>6</i>	<i>C2185297A</i>	<i>5/21/04</i>	
<input checked="" type="checkbox"/>	<i>7</i>	<i>C2145302A</i>	<i>5/21/04</i>	
<input checked="" type="checkbox"/>	<i>8</i>	<i>C2145307A</i>	<i>5/21/04</i>	

FAXED
 JUN 01 2004

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex
 CARRIER

IF "ANALYTICS COURIER" SIGN HERE

[Signature]
 SIGN HERE TO INITIATE CHAIN OF CUSTODY
 DATE *5/21/04*

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:		SAMPLES RELEASED BY:	
<i>5/24/04</i> <i>11:00</i>	<i>Intact</i>	SIGNATURE(SAMPLE RECEIVING)	<i>[Signature]</i>	SIGNATURE(SAMPLE RECEIVING)	
		SIGNATURE(SAMPLE ADMINISTRATION)		SIGNATURE(SAMPLE ADMINISTRATION)	
		SIGNATURE(LAB)		SIGNATURE(LAB)	
		SIGNATURE(LAB)		SIGNATURE(LAB)	

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (800) 648-9038 FORM # 0010

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: P5C00126

Fred Usbeck



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED <i>5/21/04</i>	# OF SAMPLES <i>15</i>	SAMPLE TYPE/MEDIA <i>PVC/Silica</i>	PROJECT NAME OR NUMBER <i>JG-3210</i>	
PURCHASE ORDER NO.		CONTACT <i>Tom Tomic</i>	TELEPHONE NUMBER <i>(973) 765-1843</i>	
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: <i>Report Results to Tom Tomic, Flatham Park, NJ</i>	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
<input checked="" type="checkbox"/>	<i>9 C214532A</i>	<i>5/21/04</i>	<i>100 sq. cm</i>	<i>NIOSH 7500 modified (Silica type, % weight)</i>
<input checked="" type="checkbox"/>	<i>10 C214537A</i>	<i>5/21/04</i>		
<input checked="" type="checkbox"/>	<i>11 C2B5322A</i>	<i>5/21/04</i>		
<input checked="" type="checkbox"/>	<i>12 C2H537A</i>	<i>5/21/04</i>		
<input checked="" type="checkbox"/>	<i>13 C245332A</i>	<i>5/21/04</i>		
<input checked="" type="checkbox"/>	<i>14 DuP03</i>	<i>5/21/04</i>		
<input checked="" type="checkbox"/>	<i>15 FB-05</i>	<i>5/21/04</i>		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex
 CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE: *5/21/04*

DATE/TIME <i>5/24/04 11-00</i>	CONDITION OF SAMPLE <i>Intact</i>	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING) <i>[Signature]</i>	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I145-047
 Account No. PSC00126
 Report Date: 06/01/04

TOM T.
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/24/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210

PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2425272A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/27/04
-	Quartz	100 cm2	0.12 mg	.005 mg	0.12 mg/fltr	05/27/04
-002	C2425277A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/27/04
-	Quartz	100 cm2	0.015 mg	.005 mg	0.015 mg/fltr	05/27/04
-003	C2425282A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/27/04
-	Quartz	100 cm2	0.023 mg	.005 mg	0.023 mg/fltr	05/27/04
-004	C2425287A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/27/04
-	Quartz	100 cm2	0.056 mg	.005 mg	0.056 mg/fltr	05/27/04
-005	C2185292A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.17 mg	.17 mg	< 0.17 mg/fltr	05/27/04
-	Quartz	100 cm2	2.4 mg	.17 mg	2.4 mg/fltr	05/27/04
-006	C2185297A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.027 mg	.027 mg	< 0.027 mg/fltr	05/27/04
-	Quartz	100 cm2	0.21 mg	.027 mg	0.21 mg/fltr	05/27/04
-007	C2145302A Samp	Date: 05/21/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.059 mg	.059 mg	< 0.059 mg/fltr	05/27/04
-	Quartz	100 cm2	0.37 mg	.059 mg	0.37 mg/fltr	05/27/04
-008	C2145307A Samp	Date: 05/21/04	Wipe Sample			





ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I145-047
Account No. PSC00126
Report Date: 06/01/04

TOM T.
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Date Received: 05/24/04
Sample Type: 15 - Wipe Sample(s)
Project: JG-3210

PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.46 mg	.46 mg	< 0.46 mg/fltr	05/27/04
-	Quartz	100 cm2	3.4 mg	.46 mg	3.4 mg/fltr	05/27/04
-009	C2145312A	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< 0.042 mg	.042 mg	< 0.042 mg/fltr	05/27/04
-	Quartz	100 cm2	0.22 mg	.042 mg	0.22 mg/fltr	05/27/04
-010	C2145317A	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .44 mg	.44 mg	< 0.44 mg/fltr	06/01/04
-	Quartz	100 cm2	3.7 mg	.44 mg	3.7 mg/fltr	06/01/04
-011	C2B5322A	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .20 mg	.2 mg	< 0.2 mg/fltr	06/01/04
-	Quartz	100 cm2	0.80 mg	.2 mg	0.8 mg/fltr	06/01/04
-012	C2H5327A	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .059 mg	.059 mg	< 0.059 mg/fltr	06/01/04
-	Quartz	100 cm2	0.60 mg	.059 mg	0.6 mg/fltr	06/01/04
-013	C2U5332A	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04
-	Quartz	100 cm2	0.13 mg	.005 mg	0.13 mg/fltr	06/01/04
-014	DUP03	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04
-	Quartz	100 cm2	0.006 mg	.005 mg	0.006 mg/fltr	06/01/04
-015	FB-05	Samp Date: 05/21/04		Wipe Sample		
-	Cristobalite	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04
-	Quartz	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-868-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I145-047
Account No. PSC00126
Report Date: 06/01/04

TOM T.
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Date Received: 05/24/04
Sample Type: 15 - Wipe Sample(s)
Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.





ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I145-047
Account No. PSC00126
Report Date: 06/01/04

TOM T.
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 4

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

1153-062



LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126

8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

MC

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/28/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME/ID NUMBER J6-2310
PURCHASE ORDER NO.		CONTACT Tom Tomico	TELEPHONE NUMBER (973) 765-1843
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input checked="" type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS Tom Tomico Flemham Park, NJ	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED - PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
1	C265554A	5/28/04	100 sg. cm	NIOSH 7500 modified (Silica % type, weight)
2	C263559A	5/28/04		
3	C265564A	5/28/04		
4	C265567A	5/28/04		
5	C265574A	5/28/04		
6	C265579A	5/28/04		
7	C265584A	5/28/04		
8	DUP 86	5/28/04		

FAXED
 JUN 07 2004

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex

CARRIER

IF ANALYTICS COURIER SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

5/28/04

DATE

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING)	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
6/11/04 10:45	Q-wipe	[Signature]	[Signature]
	SiO2 wipe	[Signature]	[Signature]

PLEASE RETAIN PART 3 FOR YOUR RECORDS



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I153-062
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 06/01/04
 Sample Type: 9 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2G5554A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 2.1 mg	2.1 mg	< 2.1 mg/fltr	06/07/04
-	Quartz	100 cm2	67 mg	2.1 mg	67 mg/fltr	06/07/04
-002	C2G3559A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.23 mg	.23 mg	< 0.23 mg/fltr	06/07/04
-	Quartz	100 cm2	6.3 mg	.23 mg	6.3 mg/fltr	06/07/04
-003	C2G5564A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.028 mg	.028 mg	0.028 mg/fltr	06/07/04
-	Quartz	100 cm2	2.0 mg	.028 mg	2.0 mg/fltr	06/07/04
-004	C2G5569A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.49 mg	.49 mg	< 0.49 mg/fltr	06/07/04
-	Quartz	100 cm2	8.3 mg	.49 mg	8.3 mg/fltr	06/07/04
-005	C2G5574A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 2.9 mg	2.9 mg	< 2.9 --	06/07/04
-	Quartz	100 cm2	< 2.9 mg	2.9 mg	< 2.9 mg/fltr	06/07/04
-006	C2G5579A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 4.3 mg	4.3 mg	< 4.3 mg/fltr	06/07/04
-	Quartz	100 cm2	< 4.3 mg	4.3 mg	< 4.3 mg/fltr	06/07/04
-007	C2G5584A	Samp Date: 05/28/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.025 mg	.025 mg	< 0.025 mg/fltr	06/07/04
-	Quartz	100 cm2	0.23 mg	.025 mg	0.23 mg/fltr	06/07/04
-008	DUP 06	Samp Date: 05/28/04	Wipe Sample			



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I153-062
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 06/01/04
 Sample Type: 9 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 1.2 mg	1.2 mg	< 1.2 mg/fltr	06/07/04
-	Quartz	100 cm2	10 mg	1.2 mg	10 mg/fltr	06/07/04
-009 FB10 Samp Date: 05/28/04 Wipe Sample						
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/07/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/07/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.





ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I153-062
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


 James A. Calpin, CIH
 Laboratory Director

End of Report
 Page 3

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC58126



8040 Villa Park
 Richmond
 (804) 2
 TOLL FREE (www.ana.com)
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/26/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER JG-2310	
PURCHASE ORDER NO.		CONTACT Tom Tarver	TELEPHONE NUMBER (973) 765-1843	
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report Results to Tom Tarver, Flemham Park, NJ		
		<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:		
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
	1 C2055434A	5/26/04 @	100 sq. cm	NIOSH 7500 Mod, Field (Silica %, TSP, weight)
	2 C2055439A	5/26/04 @		
	3 C2055444A	5/26/04 @		
	4 C2055449A	5/26/04 @		7 Wipe
	5 C2055454A	5/26/04 @		5102 Wipe
	6 C2055459A	5/26/04		FAXED JUN 09 2004
	7 C2055464A	5/26/04		
	8 C2055469A	5/26/04		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex
 CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE

5/26/04

DATE/TIME 05/27/04 10:05	CONDITION OF SAMPLE INTACT	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING) [Signature]	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I148-081
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/27/04
 Sample Type: 8 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2055434A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 3.3 mg	3.3 mg	< 3.3 mg/fltr	06/03/04
-	Quartz	100 cm2	25 mg	3.3 mg	25 mg/fltr	06/03/04
-002	C2055439A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 7.4 mg	7.4 mg	< 7.4 --	06/03/04
-	Quartz	100 cm2	63 mg	7.4 mg	63 mg/fltr	06/03/04
-003	C2055444A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 1.1 mg	1.1 mg	< 1.1 mg/fltr	06/07/04
-	Quartz	100 cm2	19 mg	1.1 mg	19 mg/fltr	06/07/04
-004	C2055449A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 1.2 mg	1.2 mg	< 1.2 mg/fltr	06/03/04
-	Quartz	100 cm2	15 mg	1.2 mg	15 mg/fltr	06/03/04
-005	C2055454A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 3.7 mg	3.7 mg	< 3.7 mg/fltr	06/07/04
-	Quartz	100 cm2	59 mg	3.7 mg	59 mg/fltr	06/07/04
-006	C2055459A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 2.9 mg	2.9 mg	< 2.9 mg/fltr	06/03/04
-	Quartz	100 cm2	64 mg	2.9 mg	64 mg/fltr	06/03/04
-007	C2055464A	Samp	Date: 05/26/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.19 mg	.19 mg	< 0.19 mg/fltr	06/03/04
-	Quartz	100 cm2	1.02 mg	.19 mg	1.02 mg/fltr	06/03/04
-008	C2055469A	Samp	Date: 05/26/04	Wipe Sample		



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I148-081
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/27/04

Sample Type: 8 - Wipe Sample(s)

Project: JG-2310

PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.18 mg	.18 mg	< 0.18 mg/fltr	06/05/04
-	Quartz	100 cm2	3.4 mg	.18 mg	3.4 mg/fltr	06/05/04

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.





ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I148-081
Account No. PSC00126
Report Date: 06/09/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 3

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7934
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park
 Richmond
 (804)
 TOLL FREE (800) 800-0001
 FAX (804) 264-8873

B Revw

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/26/04	# OF SAMPLES	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER JG-2310
PURCHASE ORDER NO.		CONTACT Tom Tanioco	TELEPHONE NUMBER (973) 765-1843
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report Results to Tom Tanioco, Flemham Park, NJ	
		<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS
			ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
1	C2055474A	5/26/04	100 Sg. Can.
2	C2055479A	5/26/04	
3	C2055484A	5/26/04	
4	C2055489A	5/26/04	
5	C2055494A	5/26/04	
6	DUP-05	5/26/04	
7	FB-08	5/26/04	
NIOSH 7500 Modified (Silica % type, weight)			

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex

CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

DATE

5/26/04

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING)	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
05-27-04 10:05	Intact	<i>[Signature]</i>	
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		7- [Signature] Wipe	FAXED
		SIGNATURE(LAB)	SIGNATURE(LAB)
		STOJ Wipe	JUN 09 2004
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 2 FOR YOUR RECORDS



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I148-083
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/27/04
 Sample Type: 7 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2055474A Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.42 mg	.425 mg	< 0.425 mg/fltr	06/05/04
-	Quartz	100 cm2	9.2 mg	.42 mg	9.2 mg/fltr	06/05/04
-002	C2055479A Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.4 mg	1.4 mg	< 1.4 mg/fltr	06/05/04
-	Quartz	100 cm2	7.7 mg	1.4 mg	7.7 mg/fltr	06/05/04
-003	C2055484A Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.15 mg	.15 mg	< 0.15 mg/fltr	06/05/04
-	Quartz	100 cm2	1.4 mg	.15 mg	1.4 mg/fltr	06/05/04
-004	C2055489A Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.5 mg	1.5 mg	< 1.5 mg/fltr	06/05/04
-	Quartz	100 cm2	7.6 mg	1.5 mg	7.6 mg/fltr	06/05/04
-005	C2055494A Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.1 mg	1.1 mg	< 1.1 mg/fltr	06/05/04
-	Quartz	100 cm2	8.1 mg	1.1 mg	8.1 mg/fltr	06/05/04
-006	DUP05 Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.37 mg	.37 mg	< 0.37 mg/fltr	06/05/04
-	Quartz	100 cm2	3.5 mg	.37 mg	3.5 mg/fltr	06/05/04
-007	FB-08 Samp	Date: 05/26/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8673 FAX
 WWW.ANALYTICSCORP.COM

Group No. I148-083
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/27/04
 Sample Type: 7 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I148-083
Account No. PSC00126
Report Date: 06/09/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 3

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126

1149-063



MC Lew

ve, Suite 250
 a 23228
 7100

TOLL FREE (toll) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/27/04	# OF SAMPLES 12	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER Stephen Phara	
PURCHASE ORDER NO.		CONTACT Tom Tarnica	TELEPHONE NUMBER (973) 765-1843	
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Tom Tarnica at Florham Park, NJ Florham Park	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:	
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
✓	1 C2045499A	5/27/04	100 sg. cm	NIOSH 7500 modified (Silica type, % weight) Wipe 12-Sm PVC 5108 Wipe
✓	2 C2045504A	5/27/04		
✓	3 C2045509A	5/27/04		
✓	4 C2045514A	5/27/04		
✓	5 C2045519A	5/27/04		
✓	6 C2045524A	5/27/04		
✓	7 C2045529A	5/27/04		
✓	8 C2045534A	5/27/04		

FAXED
 JUN 09 2004

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex

CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

5/27/04

DATE

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
5/27/04	[Signature]	SIGNATURE (SAMPLE RECEIVING) [Signature]	SIGNATURE (SAMPLE RECEIVING)
		SIGNATURE (SAMPLE ADMINISTRATION)	SIGNATURE (SAMPLE ADMINISTRATION)
		SIGNATURE (LAB)	SIGNATURE (LAB)
		SIGNATURE (LAB)	SIGNATURE (LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS

LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/27/04	# OF SAMPLES 12	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER Stephen Pharis	
PURCHASE ORDER NO.		CONTACT Tom Tarica	TELEPHONE NUMBER (973) 765-1843	
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Tom Tarica at Floham Park, NJ Floham Park		
		<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:		
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
✓ 9	C2405539A	5/27/04	100 sg. can	NIOSH 7500 modified (Silica type; To, amount)
✓ 10	C2405544A	5/27/04		
✓ 11	C2405549A	5/27/04		
✓ 12	FB-09	5/27/04		
/				

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Fed-Ex

CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

5/27/04

DATE

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:		SAMPLES RELEASED BY:	
5-28-04 10:40	Contact	SIGNATURE(SAMPLE RECEIVING)	Angela Sacca	SIGNATURE(SAMPLE RECEIVING)	
		SIGNATURE(SAMPLE ADMINISTRATION)		SIGNATURE(SAMPLE ADMINISTRATION)	
		SIGNATURE(LAB)		SIGNATURE(LAB)	
		SIGNATURE(LAB)		SIGNATURE(LAB)	

PLEASE RETAIN PART 3 FOR YOUR RECORDS



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-868-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I149-063
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/28/04
 Sample Type: 12 - Wipe Sample(s)
 Project: STEPHEN PHARAI PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2045499 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.29 mg	.29 mg	< 0.29 mg/fltr	06/07/04
-	Quartz	100 cm2	2.1 mg	.29 mg	2.1 mg/fltr	06/07/04
-002	C2045504 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04
-	Quartz	100 cm2	0.005 mg	.005 mg	0.005 mg/fltr	06/05/04
-003	C2045509 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.049 mg	.049 mg	< 0.049 mg/fltr	06/05/04
-	Quartz	100 cm2	0.50 mg	.049 mg	0.50 mg/fltr	06/05/04
-004	C2045514 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04
-005	C2045519 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 0.098 mg	.098 mg	< 0.098 mg/fltr	06/05/04
-	Quartz	100 cm2	0.69 mg	.098 mg	0.69 mg/fltr	06/05/04
-006	C2045524 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 1.1 mg	1.1 mg	< 1.1 mg/fltr	06/05/04
-	Quartz	100 cm2	9.7 mg	1.1 mg	9.7 mg/fltr	06/05/04
-007	C2045529 A	Samp	Date: 05/27/04	Wipe Sample		
-	Cristobalite	100 cm2	< 1.5 mg	1.5 mg	< 1.5 mg/fltr	06/05/04
-	Quartz	100 cm2	8.4 mg	1.5 mg	8.4 mg/fltr	06/05/04
-008	C2045534 A	Samp	Date: 05/27/04	Wipe Sample		





ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I149-063
 Account No. PSC00126
 Report Date: 06/09/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/28/04
 Sample Type: 12 - Wipe Sample(s)
 Project: STEPHEN PHARAI PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.63 mg	.63 mg	< 0.63 mg/fltr	06/05/04
-	Quartz	100 cm2	1.8 mg	.63 mg	1.8 mg/fltr	06/05/04
-009	C2045539 A Samp	Date: 05/27/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.63 mg	.63 mg	< 0.63 mg/fltr	06/07/04
-	Quartz	100 cm2	5.3 mg	.63 mg	5.3 mg/fltr	06/07/04
-010	C2045544 A Samp	Date: 05/27/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.10 mg	.1 mg	< 0.1 mg/fltr	06/05/04
-	Quartz	100 cm2	0.77 mg	.1 mg	0.77 mg/fltr	06/05/04
-011	C2045549 A Samp	Date: 05/27/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.046 mg	.046 mg	< 0.046 mg/fltr	06/05/04
-	Quartz	100 cm2	0.403 mg	.046 mg	0.403 mg/fltr	06/05/04
-012	FB-09 Samp	Date: 05/27/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/05/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.





ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I149-063
Account No. PSC00126
Report Date: 06/09/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 3

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
 LOU'S BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00128



8040 1-46-115 Suite 250
 228
 7 1-8061
 173

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 5/24/04	# OF SAMPLES 7	SAMPLE TYPE/MEDIA PVC / Silica	PROJECT NAME OR NUMBER J6 310
PURCHASE ORDER NO.		CONTACT Tom Tarnico	TELEPHONE NUMBER (973) 765-1843
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Contact Tom Tarnico; Flatham Park, VT	<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:
FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS
	1 C20025337A	5/24/04	100 mg - ca.
	2 C20025342A	5/24/04	
	3 C20025347A	5/24/04	
	4 C20025352A	5/24/04	
	5 C20025357A	5/24/04	
	6 C20025362A	5/24/04	
	7 FB-06	5/24/04	
ANALYSIS REQUESTED - PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE NIOSH 7500 Modified (Silica % , type , weight) FAXED JUN 02 2004 7 wipe 5/02 wipe			

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:

Frd. Ex
 CARRIER

IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY

5/24/04
 DATE

DATE/TIME 5-25-04 7:45/1	CONDITION OF SAMPLE Contact	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING) Angela Saena	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (804) 648-8188 FORM 6-0010



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I146-115
 Account No. PSC00126
 Report Date: 06/01/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/25/04
 Sample Type: 7 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2025337A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.93 mg	.93 mg	< 0.93 mg/fltr	05/27/04
-	Quartz	100 cm2	7.3 mg	.93 mg	7.3 mg/fltr	05/27/04
-002	C2025342A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.26 mg	.26 mg	< 0.26 mg/fltr	05/27/04
-	Quartz	100 cm2	11 mg	.26 mg	11 mg/fltr	05/27/04
-003	C2025347A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< .30 mg	.3 mg	< 0.3 mg/fltr	06/01/04
-	Quartz	100 cm2	8.9 mg	.3 mg	8.9 mg/fltr	06/01/04
-004	C2025352A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< 1.01 mg	1.01 mg	< 1.01 mg/fltr	06/01/04
-	Quartz	100 cm2	3.9 mg	1.01 mg	3.9 mg/fltr	06/01/04
-005	C2025357A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< 2.8 mg	2.8 mg	< 2.8 mg/fltr	06/01/04
-	Quartz	100 cm2	24 mg	2.8 mg	24 mg/fltr	06/01/04
-006	C2025362A Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< .032 mg	.032 mg	< 0.032 mg/fltr	06/01/04
-	Quartz	100 cm2	0.24 mg	.032 mg	0.24 mg/fltr	06/01/04
-007	FB-06 Samp	Date: 05/24/04	Wipe Sample			
-	Cristobalite	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04
-	Quartz	100 cm2	< .005 mg	.005 mg	< 0.005 mg/fltr	06/01/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I146-115
Account No. PSC00126
Report Date: 06/01/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Date Received: 05/25/04
Sample Type: 7 - Wipe Sample(s)
Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I146-115
Account No. PSC00126
Report Date: 06/01/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


James A. Calpin, CIH
Laboratory Director

End of Report
Page 3

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS I147-111
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

MC

DATE SHIPPED 4/25/04	# OF SAMPLES 15	SAMPLE TYPE/MEDIA PVC/Silica	PROJECT NAME OR NUMBER JG-3210
PURCHASE ORDER NO.		CONTACT Tom Torico	TELEPHONE NUMBER (973) 765-1843
TURN AROUND TIME <input type="checkbox"/> SAMEDAY <input type="checkbox"/> 1 DAY <input checked="" type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report Results to: Tom Torico Flatham Park NJ	
		<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS - EMAIL:	

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
1	C2145367A	5/25/04	100 sq. cm.	NIOSH Modified 7500 (Silica % type, weight)
2	C2145372A	5/25/04		
3	C2185377A	5/25/04		
4	C2125382A	5/25/04		
5	C2125392A	5/25/04		
6	C2185397A	5/25/04		
7	C2185402A	5/25/04		FAXED JUN 07 2004
8	C2185407A	5/25/04		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA:
Fed-Ex

CARRIER: **Fed-Ex** IF "ANALYTICS COURIER" SIGN HERE

SIGN HERE TO INITIATE CHAIN OF CUSTODY
 DATE: **5/25/04**

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY: SIGNATURE(SAMPLE RECEIVING)	SAMPLES RELEASED BY: SIGNATURE(SAMPLE RECEIVING)
5/26/04 0957	Intest	<i>[Signature]</i>	
	15-Wipe	SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
	15 Silica Wipe	SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (800) 648-9038 FORM # 8010

LABORATORY TEST REQUEST

ACCOUNT NUMBER, NAME AND ADDRESS
LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038
 Phone: 212-612-7954
 Fax: 1-212-363-4341
 PROJ#: PSC00126



8040 Villa Park Drive, Suite 250
 Richmond, Va 23228
 (804) 264-7100
 TOLL FREE (800) 888-8061
 FAX (804) 264-8873

FAX RESULTS TO 1-212-363-4341

DATE SHIPPED 4/25/04	# OF SAMPLES 15	SAMPLE TYPE/MEDIA PVC /Silica	PROJECT NAME OR NUMBER JL-3210
PURCHASE ORDER NO.		CONTACT Tom Taniel	TELEPHONE NUMBER (973) 765-1893
TURN AROUND TIME <input type="checkbox"/> SAME DAY <input type="checkbox"/> 1 DAY <input type="checkbox"/> CALL FOR AVAILABILITY		SPECIAL INSTRUCTIONS AND/OR UNUSUAL CONDITIONS: Report Results to: Tom Taniel Flaham Park NJ	
		<input type="checkbox"/> FAX RESULTS FAX NUMBER: <input type="checkbox"/> EMAIL RESULTS EMAIL:	

FOR LABORATORY USE ONLY	SAMPLE # OR SAMPLE AREA	SAMPLE DATE	SAMPLE VOLUME/LITERS	ANALYSIS REQUESTED-PLEASE USE SEPARATE LABORATORY TEST REQUEST FOR EACH SAMPLE TYPE
9	C2085412A	5/25/04	100 SF - cm.	NIOSH Modified 7500 (Silica to, type, weight)
10	C2055417A	5/25/04		
11	C2055422A	5/25/04		
12	C2055429A	5/25/04		
13	DUP 04	5/25/04		
14	C2025387A	5/25/04		
15	FB-07	5/25/04		

CHAIN OF CUSTODY RECORD

SAMPLES HAVE BEEN SEALED FOR TRANSPORT AND DELIVERED TO LABORATORY VIA: **Fed-Ex**

SIGN HERE TO INITIATE CHAIN OF CUSTODY
 DATE: **5/25/04**

IF "ANALYTICS COURIER" SIGN HERE

DATE/TIME	CONDITION OF SAMPLE	SAMPLES RECEIVED BY:	SAMPLES RELEASED BY:
5/25/04 088	Intal	SIGNATURE(SAMPLE RECEIVING) <i>[Signature]</i>	SIGNATURE(SAMPLE RECEIVING)
		SIGNATURE(SAMPLE ADMINISTRATION)	SIGNATURE(SAMPLE ADMINISTRATION)
		SIGNATURE(LAB)	SIGNATURE(LAB)
		SIGNATURE(LAB)	SIGNATURE(LAB)

PLEASE RETAIN PART 3 FOR YOUR RECORDS

FOLEY COMPANY (804) 689-9038 FORM # 0010



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I147-111
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/26/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2145367A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.11 mg	.11 mg	< 0.11 mg/fltr	06/01/04
-	Quartz	100 cm2	0.53 mg	.11 mg	0.53 mg/fltr	06/01/04
-002	C2145372A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.85 mg	.85 mg	< 0.85 mg/fltr	06/01/04
-	Quartz	100 cm2	5.9 mg	.85 mg	5.9 mg/fltr	06/01/04
-003	C2145377A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.068 mg	.068 mg	< 0.068 mg/fltr	06/01/04
-	Quartz	100 cm2	0.56 mg	.068 mg	0.56 mg/fltr	06/01/04
-004	C2145382A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.33 mg	.33 mg	< 0.33 mg/fltr	06/01/04
-	Quartz	100 cm2	1.8 mg	.33 mg	1.8 mg/fltr	06/01/04
-005	C2145392A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.010 mg	.01 mg	< 0.01 mg/fltr	06/02/04
-	Quartz	100 cm2	0.29 mg	.01 mg	0.29 mg/fltr	06/02/04
-006	C2145397A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.091 mg	.091 mg	< 0.091 mg/fltr	06/01/04
-	Quartz	100 cm2	0.47 mg	.091 mg	0.47 mg/fltr	06/01/04
-007	C2145402A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.13 mg	.13 mg	< 0.13 mg/fltr	06/01/04
-	Quartz	100 cm2	0.38 mg	.13 mg	0.38 mg/fltr	06/01/04
-008	C2145407A Samp	Date: 05/25/04	Wipe Sample			



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I147-111
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/26/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Cristobalite	100 cm2	< 0.37 mg	.37 mg	< 0.37 mg/fltr	06/01/04
-	Quartz	100 cm2	4.0 mg	.37 mg	4.0 mg/fltr	06/01/04
-009	C2145412A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.010 mg	.01 mg	< 0.01 mg/fltr	06/02/04
-	Quartz	100 cm2	0.19 mg	.01 mg	0.19 mg/fltr	06/02/04
-010	C2145417A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.88 mg	.88 mg	< 0.88 mg/fltr	06/01/04
-	Quartz	100 cm2	15 mg	.88 mg	15 mg/fltr	06/01/04
-011	C2145422A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.59 mg	.59 mg	< 0.59 mg/fltr	06/01/04
-	Quartz	100 cm2	1.8 mg	.59 mg	1.8 mg/fltr	06/01/04
-012	C2145429A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 5.9 mg	5.9 mg	< 5.9 mg/fltr	06/01/04
-	Quartz	100 cm2	100 mg	5.9 mg	100 mg/fltr	06/01/04
-013	DUP 04 Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.89 mg	.89 mg	< 0.89 mg/fltr	06/02/04
-	Quartz	100 cm2	8.1 mg	.89 mg	8.1 mg/fltr	06/02/04
-014	C2125387A Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.091 mg	.091 mg	< 0.091 --	06/02/04
-	Quartz	100 cm2	0.58 mg	.091 mg	0.58 mg/fltr	06/02/04
-015	FB-07 Samp	Date: 05/25/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/02/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/02/04



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I147-111
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/26/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, w/w = percent weight basis, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given.





ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I147-111
 Account No. PSC00126
 Report Date: 06/07/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----


Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).


 James A. Calpin, CIH
 Laboratory Director

End of Report
 Page 4



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I141-044
 Account No. PSC00126
 Report Date: 05/27/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

**** FINAL REPORT ****

Date Received: 05/20/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C2395147A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	NAG	< 0.005 mg/wp	.005 mg	-- --	05/25/04
-	Quartz	NAG	0.10 mg/wp	.005 mg	-- --	05/25/04
-002	C2395152A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.06 mg	.06 mg	< 0.06 mg/fltr	05/25/04
-	Quartz	100 cm2	0.35 mg	.06 mg	0.35 mg/fltr	05/25/04
-003	C2395157A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.05 mg	.05 mg	< 0.05 mg/fltr	05/25/04
-	Quartz	100 cm2	4.5 mg	.05 mg	4.5 mg/fltr	05/25/04
-004	C2395162A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	0.15 mg	.005 mg	0.15 mg/fltr	05/25/04
-005	C2395167A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	0.039 mg	.005 mg	0.039 mg/fltr	05/25/04
-006	C2395172A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.28 mg	.28 mg	< 0.28 mg/fltr	05/25/04
-	Quartz	100 cm2	0.73 mg	.28 mg	0.73 mg/fltr	05/25/04
-007	C2395177A Samp	Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/26/04
-	Quartz	100 cm2	0.082 mg	.03 mg	0.082 mg/fltr	05/26/04

Limit of quantitation is elevated due to matrix interference with Quartz.



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I141-044
 Account No. PSC00126
 Report Date: 05/27/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/20/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-008	C2395182A	Samp Date: 05/19/04	Wipe Sample			
Due to error in sample preparation results cannot be reported for this sample.						
-009	C2355187A	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.013 mg	.013 mg	< 0.013 mg/fltr	05/26/04
-	Quartz	100 cm2	0.041 mg	.013 mg	0.041 mg/fltr	05/26/04
-010	C2315192A	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.15 mg	.15 mg	< 0.15 mg/fltr	05/25/04
-	Quartz	100 cm2	0.62 mg	.15 mg	0.62 mg/fltr	05/25/04
-011	C2315197A	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.37 mg	.37 mg	< 0.37 mg/fltr	05/25/04
-	Quartz	100 cm2	4.8 mg	.37 mg	4.8 mg/fltr	05/25/04
-012	C2315202A	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	0.28 mg	.005 mg	0.28 mg/fltr	05/25/04
-013	C2315207A	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.87 mg	.87 mg	< 0.87 mg/fltr	05/25/04
-	Quartz	100 cm2	7.2 mg	.87 mg	7.2 mg/fltr	05/25/04
-014	FB-03	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	05/25/04
-015	DUP-02	Samp Date: 05/19/04	Wipe Sample			
-	Cristobalite	100 cm2	< 0.14 mg	.14 mg	< 0.14 mg/fltr	05/27/04



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I141-044
 Account No. PSC00126
 Report Date: 05/27/04

TOM TANICO
 LOUIS BERGER - NYC
 23RD FLOOR
 199 WATER STREET
 NEW YORK, NY 10038

Final Report

Date Received: 05/20/04
 Sample Type: 15 - Wipe Sample(s)
 Project: JG-3210 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-	Quartz	100 cm2	0.48 mg	.14 mg	0.48 mg/ft ²	05/27/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given. NAG = No Area Given, LOQ = Limit of Quantitation.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I141-044
Account No. PSC00126
Report Date: 05/27/04

TOM TANICO
LOUIS BERGER - NYC
23RD FLOOR
199 WATER STREET
NEW YORK, NY 10038

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report
Page 4



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I176-068
 Account No. PSC00187
 Report Date: 06/30/04

TOM TANICO
 LOUIS BERGER GROUP - FLORHAM PARK

30 VREELAND RD, BLDG A 3RD FLOOR
 FLORHAM PARK, NJ 7932

**** FINAL REPORT ****

Date Received: 06/24/04
 Sample Type: 4 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-001	C20NS599	Samp Date: 06/23/04		Wipe Sample		
-	Cristobalite	100 cm2	< 0.24 mg	.24 mg	< 0.24 mg/fltr	06/30/04
-	Quartz	100 cm2	3.2 mg	.24 mg	3.2 mg/fltr	06/30/04
Limit of quantitation is elevated due to sample dilution.						
Sample contains 6.4% crystalline silica (Quartz, Cristobalite, and Tridymite).						
-002	C20NS605	Samp Date: 06/23/04		Wipe Sample		
-	Cristobalite	100 cm2	< 0.20 mg	.2 mg	< 0.20 mg/fltr	06/30/04
-	Quartz	100 cm2	4.6 mg	.2 mg	4.6 mg/fltr	06/30/04
Limit of quantitation is elevated due to sample dilution.						
Sample contains 11% crystalline silica (Quartz, Cristobalite, and Tridymite).						
-003	C20NS611	Samp Date: 06/23/04		Wipe Sample		
-	Cristobalite	100 cm2	3.4 mg	3.4 mg	3.4 mg/fltr	06/30/04
-	Quartz	100 cm2	18 mg	3.4 mg	18 mg/fltr	06/30/04
Limit of quantitation is elevated due to sample dilution.						
Sample contains 2.2% crystalline silica (Quartz, Cristobalite, and Tridymite).						
-004	FB11	Samp Date: 06/23/04		Wipe Sample		
-	Cristobalite	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/30/04
-	Quartz	100 cm2	< 0.005 mg	.005 mg	< 0.005 mg/fltr	06/30/04

NOTE: Presence of Tridymite checked on all samples analyzed for silica and reported if found.



ANALYTICS CORPORATION
 8040 VILLA PARK DRIVE, SUITE 250
 RICHMOND, VIRGINIA 23228
 804-264-7100 PHONE
 800-888-8061 PHONE
 804-264-8873 FAX
 WWW.ANALYTICSCORP.COM

Group No. I176-068
 Account No. PSC00187
 Report Date: 06/30/04

TOM TANICO
 LOUIS BERGER GROUP - FLORHAM PARK

30 VREELAND RD, BLDG A 3RD FLOOR
 FLORHAM PARK, NJ 7932

Final Report

Date Received: 06/24/04
 Sample Type: 4 - Wipe Sample(s)
 Project: JG-2310 PO Number:

Analytical Results

Lab	Parameter	Volume	Amount	LOQ	Concentration	Analysis
-----	-----------	--------	--------	-----	---------------	----------

Samples were not taken an pre-weighed filters. Percent Silica results are approx

Abbreviations: ug = micrograms, mg = milligrams, mg/M3 = milligrams per cubic meter of air, g = grams, ug/M3 = micrograms per cubic meter of air, L = liters, all Volumes given in liters, ppm = parts per million, ppb = parts per billion, Areas given in square feet; ND = Not Detected; ug/wp = ug/wipe; NVG = No Volume Given. NAG = No Area Given, LOQ = Limit of Quantitation.



ANALYTICS CORPORATION
8040 VILLA PARK DRIVE, SUITE 250
RICHMOND, VIRGINIA 23228
804-264-7100 PHONE
800-888-8061 PHONE
804-264-8873 FAX
WWW.ANALYTICSCORP.COM

Group No. I176-068
Account No. PSC00187
Report Date: 06/30/04

TOM TANICO
LOUIS BERGER GROUP - FLORHAM PARK

30 VREELAND RD, BLDG A 3RD FLOOR
FLORHAM PARK, NJ 7932

Final Report

Summary of Analytical Methods

Compound Name	Analytical Method	Abbreviation
Cristobalite	NIOSH 7500M	----
Quartz	NIOSH 7500M	----

Notes

Attached are the results we obtained on the analysis of your samples. Any Chains-of-Custody associated with this sample group are also enclosed. Air concentrations are calculated as a convenience to the client and the overall accuracy of this result depends on both the accuracy of the air volume and the amount found by analysis. Theoretical Air Volumes for passive monitors are calculated using the sampling time submitted and the manufacturer's listed sampling rate for each compound.

For blanks and non-detects the results indicated with a '<' value represents the reporting limit for that analysis. Unless otherwise noted results are not corrected for blank values.

Unless the signature of the appropriate manager(s) appears on the final page of this report, this report should be considered PRELIMINARY and is subject to change.

We appreciate your confidence in allowing Analytics to be your testing laboratory. Any questions regarding this report can be addressed by calling our client services department (800-888-8061).

James A. Calpin, CIH
Laboratory Director

End of Report
Page 3